



About iVOOMi Energy



Established in 2001 under the leadership of Mr. Sunil Bansal and Mr. Ashwin Bhandari, iVOOMi innovation successfully made strides in different various sectors such as telecommunication, audio equipment, technology accessories, DIY components, and smart gadgets. With the aim of adding value to the consumer's life by providing holistic e-mobility products and services to create a sustaintable & greener future for the coming generation, iVOOMi has emerged as one of the fastest growing EV Designers and Manufactures of the country.

Why iVOOMi Energy

Proprietary on Vehicle & Battery Pack design - iVOOMi is one the 5 EV battery manufactures who controls its battery packs on a cellular level. This helps iVOOMi be flexible and extremely adaptive towards the constantly changing needs of the sunrising electric vehicle industry. iVOOMi believes in holistic feedback oriented product design which is reflected in the constantly evolving & improving product design.

Swappable Batteries - Since its inception it has been a strategic decision for iVOOMi to ensure that all our vehicles are powered by swappable batteries. This adds value to by making it extremely convenient for the consumer's to charge the batteries where ever they deem fit. iVOOMi chargers are extremely portable and efficient as well. Easy to carry and plug in a normal house hold outlet, they are light weight and have built in surge protection which ensure next level safety for the consumers and vehicles.

Maximum Safety - iVOOMi truly value and believes in safety. All iVOOMi products are protected well within the safety regulations set by the Indian government, iVOOMi believes in going beyond the call of duty for which it has ensured even further more safety norms to ensure the safety of the consumer and the product. Right from getting all of the products include the vehicles, battery and charger certified by the prestigious ARAI, multiple layers of safety, surge protection has been implemented on the charger, battery and vehicle level.

Made in India - iVOOMi products including the battery are 100% designed and manufactured in India, staying vocal for local. With 3 manufacturing plant spread across the country, iVOOMi plans on growing & spreading its wings across the country to ensure the best possible service to its dealers and Consumers.

Trustworthy & Reliable - iVOOMi believes in reliable, quick &solution oriented service which ensures that the consumer's trust over the brand is ever growing, creating an hassle-free experience.

Young, Motivated & Demanding - The iVOOMi team is committed to providing new ideas and engineering new age solutions to the consumers which can great value to their day to day experience. The iVOOMi teams has a zero compromising policity to wards quality & perfection. Team iVOOMi is powered and backed by young professionals with clear allignment to the brand's core values.



iVOOMi=1

95 kms per Charge





Ex-Showroom - 84,999/-



	Specification	S1
Performance	Top Speed	60 to 65 kmph
Range	Economical Range @<40 kmph	110+ km
	Rider Mode @ 45 kmph	105+ km
	Speed Mode @ > 45 kmph	80+ km
Motor	Motor Wattage	Typical 1.6 kw (Max 2.1 kw)
	Motor Type	Permanent Magnet Motor
	Motor Style	Hub Motor
Charging	0 - 50%	2 hrs
	0 - 80%	4 hrs
	0 - 100%	5 hrs
Tyres & Wheel	Tyre (Front)	90/100/10
	Tyre (Rear)	90/100/10
Brakes	Braking System	Disc-Drum
	Brake Type Front	Disc
	Brake Type Rear	Drum
Dimension	Length x Width x Height	1825x625x1180 mm
	Ground Clearance	170 mm
Warranty* (As per Standard Warranty Terms)	Battery	3 Yrs., 30000 km
(As per Standard Warranty Terms)	Vehicle	1 Yr., 30000 km
Features	Mobile Smart Phone Charger	5V, 2.5A (Fast Charger)
	Anti Theft Wheel Lock	Yes, Electronic Locking System
	Parking Mode	One Touch Assist
	Reverse Gear	> 6 kmph
Safety	Vehicle Safety	Five safety connection for Short Circuit,
		Over current & Over Voltage protection
	Circuit breaker	Electronic 32 A
	Mirror	High Quality Convex Glass
	Braking System	E-ABS
	Throttle	Electronic, Linear with 1% Accuracy
	Auto Cut-off	Yes, Electronic Switch Based
V.	Charging point	5A, General Household Shocked
N	Thermal protection	Yes in all Critical Parts like
1.38		Controller, Motor, Battery & Charger

Available Colors:







Ex-Showroom - 99,999/-

Performance Top Range Ecc Rid Spec Motor Mo Mo Mo Charging 0 - 0 - 0 - Tyres & Wheel Tyr Brakes Bra	poecification pospeed promical Range @<40 kmph ler Mode @ 45 kmph leed Mode @ > 45 kmph potor Wattage potor Type potor Style 50% 80% 100% le (Front) le (Rear)	JeetX 65 to 70 kmph 100+ km 90+ km 75+ km Typical 1.8 kw (Max 2.5 kw) Permanent Magnet Motor Hub Motor 2 hrs 4 hrs 5 hrs
Range Ecc Rid Spe Motor Mo Mo Mo Charging 0 - 0 - 0 - Tyres & Wheel Tyr Brakes Bra	onomical Range @<40 kmph ler Mode @ 45 kmph eed Mode @ > 45 kmph otor Wattage otor Type otor Style 50% 80% 100% e (Front)	100+ km 90+ km 75+ km Typical 1.8 kw (Max 2.5 kw) Permanent Magnet Motor Hub Motor 2 hrs 4 hrs 5 hrs
Rid Spe Spe	ler Mode @ 45 kmph eed Mode @ > 45 kmph otor Wattage otor Type otor Style 50% 80% 100% e (Front)	90+ km 75+ km Typical 1.8 kw (Max 2.5 kw) Permanent Magnet Motor Hub Motor 2 hrs 4 hrs 5 hrs
Special	eed Mode @ > 45 kmph stor Wattage stor Style 50% 80% 100% e (Front)	75+ km Typical 1.8 kw (Max 2.5 kw) Permanent Magnet Motor Hub Motor 2 hrs 4 hrs 5 hrs
Motor	otor Wattage otor Type otor Style 50% 80% 100% e (Front)	Typical 1.8 kw (Max 2.5 kw) Permanent Magnet Motor Hub Motor 2 hrs 4 hrs 5 hrs
Mo Mo Mo	otor Type otor Style 50% 80% 100% e (Front)	Permanent Magnet Motor Hub Motor 2 hrs 4 hrs 5 hrs
Mo Charging	otor Style 50% 80% 100% e (Front)	Hub Motor 2 hrs 4 hrs 5 hrs
Charging 0 - 0 - 0 - Tyres & Wheel Tyr Tyr Tyr Brakes Bra	50% 80% 100% e (Front)	2 hrs 4 hrs 5 hrs
0 - 0 - Tyres & Wheel Tyr. Tyr. Brakes Bra	80% 100% e (Front)	4 hrs 5 hrs
Tyres & Wheel Tyr Brakes Bra	100% e (Front)	5 hrs
Tyres & Wheel Tyr. Tyr. Brakes Bra	e (Front)	
Tyr Brakes Bra		90/90/12
Brakes Bra	e (Rear)	
		90/90/12
0	iking System	Disc-Drum
Bra	ike Type Front	Disc
Bra	ike Type Rear	Drum
Dimension Ler	ngth x Width x Height	1820x820x1200 mm
Gro	ound Clearance	180 mm
	ttery	3 Yrs., 30000 km
(As per Standard Warranty Terms) Veh	nicle	1 Yr., 30000 km
Features Mo	bile Smart Phone Charger	5V, 2.5A (Fast Charger)
Ant	ti Theft Wheel Lock	Yes, Electronic Locking System
Par	king Mode	One Touch Assist
Rev	verse Gear	> 6 kmph
Safety Vel	nicle Safety	Five safety connection for Short Circuit,
		Over current & Over Voltage protection
Circ	cuit breaker	Electronic 35 A
Mir	rror	High Quality Convex Glass
Bra	king System	E-ABS
Thr	rottle	Electronic, Linear with 1% Accuracy
Au	to Cut-off	Yes, Electronic Switch Based
Cha	arging point	5A, General Household Shocked
The	ermal protection	Yes in all Critical Parts like
		Controller, Motor, Battery & Charger







90 kms per Charge



Contact Us





iVOOMi Innovation Center (R&D and Sales Office Address)

Sr.No 140/3, Near Sharayu Toyota Service Center, Tathwade, Pune - 411033



+91 93734 64229







customercare@ivoomi.co




www.ivoomienergy.com









Find iVOOMiEnergy on







